


	US Pre-Grant Publication Full-Text Database		
	US Patents Full-Text Database		
	US OCR Full-Text Database		
Database:	EPO Abstracts Database		
	JPO Abstracts Database		
	Derwent World Patents Index		
	IBM Technical Disclosure Bulletins		
		pari	
Term:		manufac.	
		<u> </u>	
Dianlow	10 Documents in Display Format: TI	Starting with Number	1
Display:	Documents in Display Format. 1.	_ Starting with Number	J
Generate:	O Hit List O Hit Count O Side by Side	○ Image	
<u> </u>			
	Search Clear Into	arrupt	

Search History

Set Name side by side	Query	<u>Hit</u> Count	Set Name result set
DB=	USPT; PLUR=YES; OP=ADJ		
<u>L36</u>	L35 and 110	1	<u>L36</u>
<u>L35</u>	(user or client or subscriber) with register\$6 near5 (multiple or plurality or variety) with(e\$mail address or user\$name or user name)	13	<u>L35</u>
L34	L33 same match\$4	3	<u>L34</u>
<u>L33</u>	register\$6 near5 (multiple or plurality or variety) near5 (e-mail or email or electronic mail or user\$name or user name)	28	<u>L33</u>
<u>L32</u>	(prescri\$8 or register\$6 or subscrip\$6) same server same (multiple or plurality or variety) near5 (e-mail or email or electronic mail or username)	12	<u>L32</u>
<u>L31</u>	(prescri\$8 or register\$6 or subscrip\$6) same forward\$3 same (multiple or plurality or variety) near5 (e-mail or email or electronic mail or username)	2	<u>L31</u>
<u>L30</u>	(prescri\$8 or register\$6 or subscrip\$6) same forward\$3 same (multiple or plurality or variety) near5 (e-mail or email or electronic mail) same old adj3 (e-mail or email or electronic mail)	0	<u>L30</u>
<u>L29</u>	6654779[uref]	0	<u>L29</u>
<u>L28</u>	6427164[uref]	6	<u>L28</u>



<u>L4</u>	(prescrib\$6 or register\$4 or subscrip\$6)same (e\$mail address or user\$name) same (e\$mail or electronic mail or electronic message) same determin\$3 same (nearest or closest)near5 (match\$4 or name or username or address)	0	<u>L4</u>
<u>L3</u>	(prescrib\$6 or register\$4 or subscrip\$6)same (plurality or variety or many) same (e\$mail address or user\$name) same (e\$mail or electronic mail or electronic message) same determin\$3 same(nearest or closest)	0	<u>L3</u>
<u>L2</u>	(prescrib\$6 or register\$4 or subscrip\$6)same (plurality or variety or many) same (e\$mail address or user\$name) same (e\$mail or electronic mail or electronic message) same determin\$3 same(nearest or closest)near5 (match\$4 or name or username or address)	0	<u>L2</u>
<u>L1</u>	register\$4 near5 (plurality or variety or many) near5 (e\$mail address or user\$name) same (e\$mail or electronic mail or electronic message) same determin\$3 same(nearest or closest)near5 (match\$4 or name or username or address)	0	<u>L1</u>

US Pre-Grant Publication Full-Text Database

US Patents Full-Text Database US OCR Full-Text Database

Database: EPO Abstracts Database

JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins

Term:

deliver\$6 same (correct\$3 near2 address or un\$deliverable) same (e\$mail or electronic

mail or electronic message)

Display:

Documents in Display Format: CIT 10

Starting with Number 21

Generate: O Hit List O Hit Count O Side by Side O Image







Search History

DATE: Monday, March 22, 2004 Printable Copy Create Case

Set Name side by side	Query	Hit Count	Set Name result set
DB=I	PGPB; PLUR=YES; OP=ADJ		
<u>L4</u>	deliver\$6 same (correct\$3 near2 address or un\$deliverable) same (e\$mail or electronic mail or electronic message)	67	<u>L4</u>
DB = 0	USPT; PLUR=YES; OP=ADJ		
<u>L3</u>	6427164[uref]	6	<u>L3</u>
<u>L2</u>	deliver\$6 same (correct\$3 near2 address or un\$deliverable) same (e\$mail or electronic mail or electronic message)	25	<u>L2</u>
<u>L1</u>	(correct\$3 or deliver\$4) near5 (correct\$3 near2 address or un\$deliverable) near5 (e\$mail or electronic mail or electronic message)	14	<u>L1</u>

	US Pre-Grant Publication Full-Text Database	
	US Patents Full-Text Database	
	US OCR Full-Text Database	
Database:	EPO Abstracts Database	
	JPO Abstracts Database	
	Derwent World Patents Index	
	IBM Technical Disclosure Bulletins	
Term:		
Display:	10 Documents in <u>Display Format</u> : TI	Starting with Number 1
Generate:	O Hit List O Hit Count O Side by Side	O Image
		· · · · · · · · · · · · · · · · · · ·

Search History

Clear

Interrupt

DATE: Tuesday, March 23, 2004 Printable Copy Create Case

Search

Set Name side by side	Query	<u>Hit</u> <u>Count</u>	Set Name result set
DB=	USPT; PLUR=YES; OP=ADJ		
<u>L16</u>	L15 and l10	8	<u>L16</u>
<u>L15</u>	(correct\$4 or forward\$3) same(incorrect or undeliverable) near5 (e\$mail or electronic mail or address\$3)	441	<u>L15</u>
<u>L14</u>	(nearest or closest) near5 match\$4 same (user\$name or e\$mail address or user name or domain name)	2	<u>L14</u>
<u>L13</u>	determin\$6 same (nearest or closest) same match\$4 same (user\$name or e\$mail address or user name or domain name)	2	<u>L13</u>
<u>L12</u>	determin\$6 same (nearest or closest) near5 match\$4 same (user\$name or e\$mail address or user name or domain name)	0	<u>L12</u>
<u>L11</u>	L10 and 19	2	<u>L11</u>
<u>L10</u>	709/206.ccls.	850	<u>L10</u>
<u>L9</u>	determin\$6 near5 (nearest or closest or match\$4)near5 (user\$name or e\$mail address or user name)	21	<u>L9</u>
<u>L8</u>	determin\$6 same (nearest or closest or match\$4)near5 (user\$name or e\$mail address or user name)	54	<u>L8</u>

<u>L7</u>	determin\$6 same (nearest or closest or match\$4)same (user\$name or e\$mail address or user name)	212	<u>L7</u>
<u>L6</u>	determin\$3 same (nearest or closest)same (user\$name or e\$mail address)	0	<u>L6</u>
<u>L5</u>	determin\$3 same (nearest or closest)near5 (user\$name or e\$mail address)	0	<u>L5</u>
<u>L4</u>	(prescrib\$6 or register\$4 or subscrip\$6)same (e\$mail address or user\$name) same (e\$mail or electronic mail or electronic message) same determin\$3 same (nearest or closest)near5 (match\$4 or name or username or address)	0	<u>L4</u>
<u>L3</u>	(prescrib\$6 or register\$4 or subscrip\$6)same (plurality or variety or many) same (e\$mail address or user\$name) same (e\$mail or electronic mail or electronic message) same determin\$3 same(nearest or closest)	0	<u>L3</u>
<u>L2</u>	(prescrib\$6 or register\$4 or subscrip\$6)same (plurality or variety or many) same (e\$mail address or user\$name) same (e\$mail or electronic mail or electronic message) same determin\$3 same(nearest or closest)near5 (match\$4 or name or username or address)	0	<u>L2</u>
<u>L1</u>	register\$4 near5 (plurality or variety or many) near5 (e\$mail address or user\$name) same (e\$mail or electronic mail or electronic message) same determin\$3 same(nearest or closest)near5 (match\$4 or name or username or address)	0	<u>L1</u>

	US Pre-Grant Publication Full-Text Database	
	US Patents Full-Text Database	
	US OCR Full-Text Database	
Database:	EPO Abstracts Database	
	JPO Abstracts Database	
	Derwent World Patents Index	
	IBM Technical Disclosure Bulletins	
Term:		
		$ \nabla $
Display:	Documents in <u>Display Format</u> : T	Starting with Number 1
Generate:	O Hit List O Hit Count O Side by Side O	Image
	•	
		7 T

Search History

Set Name side by side	Query	<u>Hit</u> <u>Count</u>	Set Name result set
DB=	=USPT; PLUR=YES; OP=ADJ		
<u>L16</u>	(pars\$3 or look\$3 up or extract\$3) near5 (e\$mail or electronic mail) with (domain name or hostname or username)	10	<u>L16</u>
<u>L15</u>	(pars\$3 or look\$3 up or extract\$3) near5 (e\$mail or electronic mail) with (domain name or hostanme or username)	10	<u>L15</u>
<u>L14</u>	(e\$mail or electronic mail) with (re\$rout\$3 or correct\$4 or forward\$) with (isp or e\$mail near2 provider) with register\$6	3	<u>L14</u>
<u>L13</u>	(e\$mail or electronic mail) near5 forward\$ with (isp or e\$mail near2 provider) with register\$6	2	<u>L13</u>
<u>L12</u>	(subscriber or user or client) with (provid\$4 or register\$6 or prescrib\$6)with (email or e-mail or electonic mail)near5 format\$6	14	<u>L12</u>
<u>L11</u>	(subscriber or user or client) near5 (provid\$4 or register\$6 or prescrib\$6)with format\$6 with (email or e-mail) adj2 address	1	<u>L11</u>
<u>L10</u>	(subscriber or user or client) near5 (provid\$4 or register\$6 or prescrip\$6)with (domain or host) adj3 (address or name)same format\$4	9	<u>L10</u>
<u>L9</u>	(subscriber or user or client) near5 (provid\$4 or register\$6 or prescrip\$6)with (domain or host) adj3 (address or name)	92	<u>L9</u>

Freeform Search Page 2 of 2

<u>L8</u>	(pars\$3 or extract\$3) with (e-mail or email or electronic mail) adj3 address with (hostname or domain name)	4	<u>L8</u>
<u>L7</u>	(pars\$3 or extract\$3) with (e-mail or email or electronic mail) adj3 address with (host name or domain name)	4	<u>L7</u>
<u>L6</u>	(pars\$3 or extract\$3) near5 (e-mail or email or electronic mail) adj3 address with (host name or domain name)	3	<u>L6</u>
<u>L5</u>	(pars\$3 or extract\$3) near5 (e-mail or email or electronic mail) adj3 address with (host name or domain name)	3	<u>L5</u>
<u>L4</u>	6101244.pn. or 6466570.pn. or 6282281.pn. or 6701440.pn. or 6040784.pn. or 5937161.pn. or 5809242.pn. or 6014502.pn. or 6199106.pn. or 5826039.pn. or 5995597.pn. or 6216165.pn. or 6216165.pn. or 6014711.pn. or 6396830.pn. or 6138036.pn. or 5987498.pn. or 5754306.pn. or 6052442.pn. or 6147773.pn. or 6151629.pn. or 6421726.pn. or 5802510.pn. or 6192114.pn. or 6321267.pn. or 6654779.pn. or 5974449.pn. or 6073165.pn. or 6084892.pn. or 6088720.pn. or 6285745.pn. or 6292479.pn. or 6330250.pn. or 6389276.pn. or 6427164.pn. or 5918158.pn. or 6002750.pn. or 6384927.pn. or 5956391.pn. or 5848397.pn. or 6055510.pn. or 6112078.pn. or 6175831.pn. or 6195686.pn. or 6230003.pn. or 5708422.pn. or 5742763.pn. or 5805810.pn. or 5832221.pn. or 6044205.pn.	49	<u>L4</u>
<u>L3</u>	6101244.pn. or 6466570.pn. or 6282281.pn. or 6701440.pn. or 6040784.pn. or 5937161.pn. or 5809242.pn. or 6014502.pn. or 6199106.pn. or 5826039.pn. or 5995597.pn. or 6216165.pn. or 6216165.pn. or 6014711.pn. or 6396830.pn. or 6138036.pn. or 5987498.pn. or 5754306.pn. or 6052442.pn. or 6147773.pn. or 6151629.pn. or 6421726.pn. or 5802510.pn. or 6192114.pn. or 6321267.pn. or 6654779.pn. or 5974449.pn. or 6073165.pn. or 6084892.pn. or 6088720.pn. or 6285745.pn. or 6292479.pn. or 6330250.pn. or 6389276.pn. or 6427164.pn. or 5918158.pn. or 6002750.pn. or 6384927.pn. or 5956391.pn. or 5848397.pn. or 6055510.pn. or 6112078.pn. or 6175831.pn. or 6195686.pn. or 6230003.pn. 5708422.pn. or 5742763.pn. or 5805810.pn. or 5832221.pn. or 6044205.pn.	47	<u>L3</u>
<u>L2</u>	6101244.pn. or 6466570.pn. or 6282281.pn. or 6701440.pn. or 6040784.pn. or 5937161.pn. or 5809242.pn. or 6014502.pn. or 6199106.pn. or 5826039.pn. or 5995597.pn. or 6216165.pn. or 6216165.pn. or 6014711.pn. or 6396830.pn. or 6138036.pn. or 5987498.pn. or 5754306.pn. or 6052442.pn. or 6147773.pn. or 6151629.pn. or 6421726.pn. or 5802510.pn. or 6192114.pn. or 6321267.pn. or 6654779.pn. or 5974449.pn. 6073165.pn. or 6084892.pn. or 6088720.pn. or 6285745.pn. or 6292479.pn. or 6330250.pn. or 6389276.pn. or 6427164.pn. or 5918158.pn. or 6002750.pn. or 6384927.pn. or 5956391.pn. or 5848397.pn. or 6055510.pn. or 6112078.pn. or 6175831.pn. or 6195686.pn. or 6230003.pn. 5708422.pn. or 5742763.pn. or 5805810.pn. or 5832221.pn. or 6044205.pn.	45	<u>L2</u>
<u>L1</u>	(6101244.pn. or 6466570.pn. or 6282281.pn. or 6701440.pn. or 6040784.pn. or 5937161.pn. or 5809242.pn. or 6014502.pn. or 6199106.pn. or 5826039.pn. or 5995597.pn. or 6216165.pn. or 6216165.pn. or 6014711.pn. or 6396830.pn. or 6138036.pn. or 5987498.pn. or 5754306.pn. or 6052442.pn. or 6147773.pn. or 6151629.pn. 6421726 5802510 6192114 6321267 6654779 5974449 6073165 6084892 6088720 6285745 6292479 6330250 6389276 6427164 5918158 6002750 6384927 5956391 5848397 6055510 6112078 6175831 6195686 6230003 5708422 5742763 5805810 5832221 6044205).pn.	19	<u>L1</u>

Database:	US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins	
Term:		
Display:	Documents in <u>Display Format</u> : CIT Starting with Number 8	
Generate:	O Hit List © Hit Count O Side by Side O Image	
	Search Clear Interrupt	

Search History

Set Name side by side	Query	<u>Hit</u> Count	Set Name result set
DB=	PGPB; PLUR=YES; OP=ADJ		
<u>L16</u>	L15 and 114	13	<u>L16</u>
<u>L15</u>	709/206.ccls.	1060	<u>L15</u>
<u>L14</u>	(register\$6 prescrib\$4 or select\$4) same (domain name or hostname or host name) same (provid\$4 or select\$4 or register\$4) near5 (username or e\$mail address or electronic mail or e\$mail)	42	<u>L14</u>
DB =	USPT; PLUR=YES; OP=ADJ		
<u>L13</u>	(register\$6 prescrib\$4 or select\$4) same (domain name or hostname or host name) same (provid\$4 or select\$4 or register\$4) near5 (username or e\$mail address or electronic mail or e\$mail)	11	<u>L13</u>
<u>L12</u>	(register\$6 presecrib\$4) with (domain name or hostname or host name) same (provid\$4 or select\$4 or register\$4) near5 (username or e\$mail address or electronic mail or e\$mail)	0	<u>L12</u>
<u>L11</u>	L9 same 18	14	<u>L11</u>
<u>L10</u>	L9 same l9	649	<u>L10</u>
<u>L9</u>	(register\$6 or select\$4 or prescrib\$6 or subscrip\$6) with (e\$mail address or username)	649	<u>L9</u>

<u>L8</u>	(register\$6 or select\$4 or presecrib\$4 or subscrip\$6) with (domain name or hostname or host name)	351	<u>L8</u>
<u>L7</u>	L6 same register\$6	32	<u>L7</u>
<u>L6</u>	(register\$6 or select\$4 or choos\$3) with format\$4 with (e\$mail or electronic mail)	152	<u>L6</u>
<u>L5</u>	(register\$6 or select\$4 or choos\$3) format\$4 near5 (e\$mail or electronic mail)	8	<u>L5</u>
<u>L4</u>	(register\$6 or select\$4 or choos\$3) same(domain name or host name) same format\$4 near5 (e\$mail or electronic mail)	2	<u>L4</u>
<u>L3</u>	(register\$6 or select\$4 or choos\$3) same(domain name or hostname or host name) with format\$4 with (e\$mail or electronic mail)	2	<u>L3</u>
<u>L2</u>	(register\$6 or select\$4 or choos\$3) with(domain name or hostname or host name) with format\$4 with (e\$mail or electronic mail)	0	<u>L2</u>
<u>L1</u>	(register\$6 or select\$4 or choos\$3) near5 (domain name or hostname or host name) with (select\$ or provid\$4 or input\$4) with format\$4 with (e\$mail or electronic mail)	0	<u>L1</u>

Database:	US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins		
Term:			
Display: Generate:	Documents in <u>Display Format</u> : TI C Hit List • Hit Count C Side by Side 6	Starting with Number 1	
	Search Clear Inte	nupt	

Search History

Set Name side by side	Query	<u>Hit</u> <u>Count</u>	Set Name result set
DB:	=USPT; PLUR=YES; OP=ADJ		
<u>L12</u>	(subscriber or user or client) with (provid\$4 or register\$6 or prescrib\$6)with (email or e-mail or electonic mail)near5 format\$6	14	<u>L12</u>
<u>L11</u>	(subscriber or user or client) near5 (provid\$4 or register\$6 or prescrib\$6)with format\$6 with (email or e-mail) adj2 address	1	<u>L11</u>
<u>L10</u>	(subscriber or user or client) near5 (provid\$4 or register\$6 or prescrip\$6)with (domain or host) adj3 (address or name)same format\$4	9	<u>L10</u>
<u>L9</u>	(subscriber or user or client) near5 (provid\$4 or register\$6 or prescrip\$6)with (domain or host) adj3 (address or name)	92	<u>L9</u>
<u>L8</u>	(pars\$3 or extract\$3) with (e-mail or email or electronic mail) adj3 address with (hostname or domain name)	4	<u>L8</u>
<u>L7</u>	(pars\$3 or extract\$3) with (e-mail or email or electronic mail) adj3 address with (host name or domain name)	4	<u>L7</u>
<u>L6</u>	(pars\$3 or extract\$3) near5 (e-mail or email or electronic mail) adj3 address with (host name or domain name)	3	<u>L6</u>
<u>L5</u>	(pars\$3 or extract\$3) near5 (e-mail or email or electronic mail) adj3 address with (host name or domain name)	3	<u>L5</u>

